

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	((name OR naming) ADJ rule) property resource schema class definition type instance identity inherit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/09/17 15:18
L2	1	((name OR naming) ADJ rule) property resource schema class definition type instance identity inherit).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/09/17 15:18
L3	1	((name OR naming) ADJ rule) property resource schema class definition type instance identity inherit) and (IBM OR (international ADJ business ADJ machines)).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/09/17 15:19
L4	4	l1 and @AD< = "20030805"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/09/17 15:20
S1	4282	xml resource management ibm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/29 17:35
S2	24907	wood.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/29 17:35
S3	26	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/29 17:37
S4	1	("6,601,100").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/29 17:38
S5	5394	resource management schema classes objects	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/30 22:14

S6	29	S5 and (naming ADJ rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/29 17:41
S7	18756	(707/100-104.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/29 17:41
S8	8	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/29 17:45
S9	0	("6,466,9726,161,1516,092,0796,058,4265,847,9555,987,4545,978,9035,432,8995,361,350").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/29 17:45
S10	8	US-6466972-\$.DID. OR US-6161151-\$.DID. OR US-6092079-\$.DID. OR US-6058426-\$.DID. OR US-5847955-\$.DID. OR US-5987454-\$.DID. OR US-5978903-\$.DID. OR US-5432899-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/29 17:46
S11	1	("5361350").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/29 17:50
S12	28	S6 and (scope OR (scoping ADJ context))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/29 17:55
S13	1	("5,367,473").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/29 17:56
S17	19464	resource management xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/29 18:01
S18	515	rdf schema	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/30 17:14
S19	19464	resource management xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/30 17:14
S20	365	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/30 17:14

S21	18756	(707/100-104.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/30 17:14
S22	72	S20 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/30 17:44
S23	1	10/634701	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/30 17:45
S24	1949	resource management schema classes objects.CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/30 22:15
S25	10	(resource management schema classes objects).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/09/30 22:15
S26	600	rdf schema	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27
S27	21887	resource management xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27
S28	418	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27
S29	20311	(707/100-104.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/16 21:27
S30	82	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27
S31	4732	xml resource management ibm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27

S32	25714	wood.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27
S33	27	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27
S34	5909	resource management schema classes objects	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27
S35	32	S34 and (naming ADJ rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/03/16 21:27
S36	5175	xml resource management ibm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S37	26216	wood.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S38	27	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S39	5175	xml resource management ibm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S40	26216	wood.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S41	27	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36

S42	662	rdf schema	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S43	23928	resource management xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S44	468	S42 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S45	21830	(707/100-104.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/20 20:36
S46	90	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S47	6416	resource management schema classes objects	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S48	39	S47 and (naming ADJ rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S49	6416	resource management schema classes objects	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S50	39	S49 and (naming ADJ rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36
S51	21830	(707/100-104.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/20 20:36
S52	9	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 20:36

S53	3	(US-20040158575-\$).did. or (US-6654759-\$ or US-6983288-\$).did.	US-PGPUB; USPAT	AND	ON	2008/07/20 21:14
S54	3	S53 and (naming ADJ rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 21:14
S55	113	xml (naming ADJ rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/07/20 21:28
S56	1	("7131138").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/20 21:28
S57	1	("7143397").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/20 21:32
S58	1	("20030018466").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/20 21:34
S59	7073	resource management schema classes objects	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/02/02 06:24
S60	45	S59 and (naming ADJ rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/02/02 06:24
S61	24248	(707/100-104.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/02 06:24
S62	12	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/02/02 06:24
S63	3	(US-20040158575-\$).did. or (US-6654759-\$ or US-6983288-\$).did.	US-PGPUB; USPAT	AND	ON	2009/02/02 06:24
S64	3	S63 and (naming ADJ rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/02/02 06:24
S65	770	rdf schema	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/02/02 06:24

S66	26997	resource management xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/02/02 06:24
S67	527	S65 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/02/02 06:24
S68	24248	(707/100-104.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/02 06:24
S69	104	S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/02/02 06:24
S70	65	schema\$2 type instance class (nam\$3 ADJ rule) unique inherit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/19 18:04
S71	48	schema\$2 type instance class (nam\$3 ADJ rule) unique inherit\$4 property resource	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/19 18:04
S72	1	associated WITH naming WITH rule WITH property WITH value	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/19 18:12
S73	3	naming WITH rule WITH property WITH value	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/19 18:13
S74	17	((naming ADJ rule) WITH (attribute OR property)) class instance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 14:56
S75	7	S74 and @AD< = "20030805"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 14:57
S76	1	("20030221184").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/24 15:09

S77	1	("20030177477").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/24 15:09
S78	465	(name WITH rule WITH (attribute OR property)) class instance xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 15:36
S79	149	S78 and @AD<="20030805"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 15:36
S80	64	(name NEAR2 rule WITH (attribute OR property)) class instance xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 15:36
S81	23	S80 and @AD<="20030805"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 15:36
S82	5	S81 and (object WITH (ID OR identity OR identifier) WITH (property OR attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 15:38
S83	8	(name NEAR2 rule WITH (attribute OR property) WITH class) instance xml	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 15:40
S84	1	S83 and @AD<="20030805"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/08/24 15:40

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	4	(((((name OR naming) ADJ rule) property resource schema class definition type instance identity inherit)	USPAT; UPAD	AND	ON	2009/09/17 16:20
L6	0	(((((name OR naming) ADJ rule) property resource schema class definition type instance identity inherit).dm.	USPAT; UPAD	AND	ON	2009/09/17 16:21
L7	33	schema\$2 type instance class (nam\$3 ADJ rule) unique inherit\$4	USPAT; UPAD	AND	ON	2009/09/17 16:21
L8	3364	"S67" and "S68"	USPAT; UPAD	AND	ON	2009/09/17 16:21
L9	12570	wood.in.	USPAT; UPAD	AND	ON	2009/09/17 16:21
L10	2942	xml resource management ibm	USPAT; UPAD	AND	ON	2009/09/17 16:21
L11	2578	(707/100-104.1).OCLS.	UPAD	OR	OFF	2009/09/17 16:22

L13	5293	"11" and ("5" or "6" or "7" or "8" or "9" or "10")	USPAT; UPAD	AND	ON	2009/09/17 16:22
L14	40	11 and (5 or 6 or 7 or 8 or 9 or 10)	USPAT; UPAD	AND	ON	2009/09/17 16:22

9/ 17/ 2009 4:23:43 PM
H:\ cases\ 10634701 - xml resource mgmt schema\ 10634701.wsp